



Beijing TT Aviation Technology Co., Ltd.

Add: No.1 TTA Building, Niantou Industrial Park ,Changping District,Beijing,
China Email: yatian.xie@ttaviation.com Mobile:+8618731166332
www.ttaviation.com



Sergio Albertella
ar Stradon da San Maté 3
CH 6955 CAGIALLO

heliseo@bluewin.ch
GSM +41 79 444 1818

VAT No. CHE-114.993.691
IBAN CH35 8080 8007 2067 4804 3

TTA TIANNONG M4E AGRICULTURE SPRAYING UAV

北方天途航空技术发展（北京）有限公司
Beijing TT Aviation Technology Co.,Ltd.

29/12/2018.he01

TTA public ice s a in 1999 USD
cum vq qwt Cigpv/Dkuvtkdwwqt hqt cp qhhgt#



Beijing TT Aviation Technology Co., Ltd.

Add: No.1 TTA Building, Niantou Industrial Park ,Changping District,Beijing, China

Email: yatian.xie@ttaviation.com Mobile:+8618731166332





www.ttaviation.com



TTA M4E AGRICULTURAL UAV

Easier to operate, easier to maintain, better water-proof, more durable and economical.



Name of components	Specifications	Remarks
4 rotors UAV		fuselage, arms, motors, propellers, electronic speed controllers
Spraying equipment		Micro pump / pesticide tank / nozzles
Package		Portable carton box
Remote controller		TTA Remote controller (phone or tablet not included)
Assemble tools		1 bag



Beijing TT Aviation Technology Co., Ltd.

Add: No.1 TTA Building, Niantou Industrial Park ,Changping District,Beijing, China
Email: yatian.xie@ttaviation.com Mobile:+8618731166332
www.ttaviation.com



Technical data


Model	M4E
Diagonal wheelbase	1090mm
Folded height	495mm
Tank Volume	5L
Work Efficiency	1-1.5Acre/5min
Flying	
Full payload Flying Time	5-10min
Empty payload Flying Time	15-20min
Flying Speed	0-15m/s
Max. altitude for safe operations	3500m above mean sea level
Take off and landing	Vertical take-off and landing
Maximal allowed wind speed operations	<12.0m/s
Spraying	
Spray droplet diameter	80-200µm
Quantity of Nozzles	2pcs
Recommend Spray Speed	4.8-6m/s
Spray Width	4-5M
Spray Height	2-4M above crop

Advantages of M4E Agricultural UAV:

- Eased route planning and flying with our softwares.
- It can memory all the routes you have designed to make the agriculture spraying service easier.

NOTE:

- Android phone or tablet not included!
- We recommend Android 8.0 or later versions.





Beijing TT Aviation Technology Co., Ltd.

Add: No.1 TTA Building, Niantou Industrial Park ,Changping District,Beijing, China

Email: yatian.xie@ttaviation.com Mobile:+8618731166332

www.ttaviation.com



- The whole machine is water -proof and it can be directly rinsed with low pressure water flush after spraying.

- Adjustable flow speed and the nozzles are made in Germany.
- Industrial-class motor, efficient and reliable. Special designed motor holder which carry out fully preservation for the motor.



- Quick release structure. The drone can be easily assembled, disassembled and even simple repaired right by crop field.
- Easy to transport.
- Easy to maintain and low spare parts cost.
- We supply professional training in cooperation with local professional structures.
- We support your operations by providing good after-sales service and warranty services.